Author Index

ABDALLAH R.M., STARKEY JEAN R. & MEADOWS G.G. Alcohol and related dietary effects on mouse natural killer-cell activity, 131

ADAMS T.E., BODMER JULIA G. & BODMER W.F. Production and characterization of monoclonal antibodies recognizing the α-chain subunits of human Ia alloantigens, 613

ADAMU S. *see* STEVENS P.

ALARCON-SEGOVIA D. *see* FISHBEIN EUGENIA

ALCOCER-VARELA J. *see* FISHBEIN EUGENIA

ALFRED L.J., WOJDANI A., NIETO MARIA, PEREZ R. & YOSHIDA G. A chemical carcinogen, 3-methylcholanthrene, alters T-cell function and induces T-suppressor cells in a mouse model system, 207

ALLEY C.D., MACDERMOTT R.P., NASH G.S. & BERTOVICH M.J. Suppression of *in-vitro* antibody production by pokeweed mitogen-stimulated human bone-marrow mononuclear cells. Evidence for a soluble suppressor substance, 387

ANDRUS L. *see* WOOD P.R.

ANSTEE D.J. *see* JUDSON P.A.

BABIUK L.A. *see* BIELEFELDT OHMANN H.

BACH J.F. *see* DOINEL C.

BARONI C.D., VALTIERI M., STOPPACCIARO ANTONELLA, RUCO L.P., UCCINI STEFANIA & RICCI C. The human thymus in ageing: histologic involution paralleled by increased mitogen response and by enrichment of $OKT3^+$ lymphocytes, 519

BAZIN H. *see* CHASSOUX D.

BECK J. SWANSON *see* GUNN A.

BENZIE C.R. *see* KAY J.E.

BERTOVICH M.J. *see* ALLEY C.D.

BEVERLEY P.C.L. *see* LAMB J.R.

BEVERLEY P.C.L. *see* MITCHELL D.M.

BIELEFELDT OHMANN H., FILION L.G. & BABIUK L.A. Bovine monocytes and macrophages: an accessory role in suppressor-cell generation by Con A and in lectin-induced proliferation, 189

BIONDI A. *see* SEMERARO N.

BISHOP C.E. *see* LEWIS C.M.

BITO Y. *see* NISHI MICHIKO

BODMER JULIA G. *see* ADAMS T.E.

BODMER W.F. *see* ADAMS T.E.

BORASCHI DIANA, GHEZZI P., PASQUALETTO ELENA, SALMONA M., NENCIONI L., SOLDATESCHI D., VILLA L. & TAGLIABUE A. Interferon decreases production of hydrogen peroxide by macrophages: correlation with reduction of suppressive capacity and of anti-microbial activity, 359

BORGHETTI A.F. *see* KAY J.E.

BOYLE DONNA G. *see* MITCHELL D.M.

BRENNER M.K., NEWTON CHRISTINE A., NORTH MARGARET E., WEYMAN CHRISTINE & FARRANT J. The interaction of specific T-cell help and non-specific B-cell growth factors in the production of anti-tetanus antibody by human B cells grown in serum-free microcultures, 377

BRINDLEY L.L. *see* GOETZL E.J.

BROSTOFF J. *see* HALL T.J.

BROWN R.A. *see* GUNN A.

BRUETON M.J. *see* LYSCOM NICOLE

CALLARD R.E. *see* MITCHELL D.M.

CAMPBELL A.K. *see* HALLETT M.B.

CHASSOUX D., KOLB J.P., BAZIN H. & MACLENNAN I.C.M. Antibody-dependent cellular cytotoxicity (K) and natural killing (NK) in B-suppressed germ-free nude rats, 327

CHEN W.Y. *see* TUNG E.

CLARK I.A. *see* WOOD P.R.

COLLINS F.M. *see* ORME I.M.

COLWELL J.A. *see* VIRELLA G.

COOKE ANNE *see* LEHNER P.

CZITROM A.A. & GASCOIGNE N.R.J. Primary T-cell responses to minor alloantigens. I. Characterization of cytotoxic effector cells generated from regional lymph nodes after immunization in the footpad, 121

CZITROM A.A., & LIDDELL MARJORIE. Primary T-cell response to minor alloantigens. II. Analysis of accessory cell requirements for the development of cytotoxic T lymphocytes, 555

DAHA M.R. & VAN ES L.A. Complement-mediated inhibition of degradation of soluble immune complexes and immunoglobulin aggregates by thioglycollate-stimulated peritoneal macrophages, 107

DANDIE G.W. *see* KIMPTON W.G.

DAPHNA D. *see* WERBER MOSHE M.

DEAN C.J. *see* HOBBS S.M.

DELEMARRE F. *see* SMINIA T.

DOINEL C., EDELMAN L., ROUGER PH., LEBLANC J., REVIRON J., BACH J.F. & SALMON CH. A murine monoclonal antibody against blood group H type-1 and -2 structures, 215

DONATI M.B. *see* SEMERARO N.

EBERSOLE J.L. *see* SMITH D.J.

ECKELS D.D. *see* LAMB J.R.

EDEBO L. *see* SKOGH T.

EDELMAN L. *see* DOINEL C.

ESPINOZA G.A. *see* VIRELLA G.

EVANS R.W. *see* GIASUDDIN A.S.M.

EZAKI T., SKINNER M.A. & MARBROOK J. Spontaneous cytotoxic T cells in murine spleen-cell cultures. I. Some characteristics of effector and precursor cells, 343

EZAKI T., SKINNER M.A. & MARBROOK J. Spontaneous cytotoxic T cells in murine spleen-cell cultures. II. Distinguishing between spontaneous cytotoxic T cells and NK cells according to kinetics and target selectivity, 351

FARRANT J. *see* BRENNER M.K.
FELDMANN M. *see* LAMB J.R.
FILION L.G. *see* BIELEFELDT OHMANN H.
FIRMAN R. *see* HO A.D.
FISHBEIN EUGENIA, ALCOCER-VARELA J. & ALARCON-SEGOVIA D. Cellular bases of the production of and response to interleukin-2 in man: role of autologous rosette-forming T-cell subsets defined with monoclonal antibodies, 223
FORRESTER J.V., WILKINSON P.C. & LACKIE J.M. Effect of modified $\alpha_2$macroglobulin on leucocyte locomotion and chemotaxis, 251
FRANKS D. *see* THORNE KAREEN J.I.
FREIDLIN I.S. *see* KULBERG A.J.
FUJITA T. *see* SHIOZAWA S.

GALLILY RUTH & SAVION N. Cultivation, proliferation and characterization of thymic macrophages, 139
GASCOIGNE N.R.J. *see* CZITROM A.A.
GHEZZI P. *see* BORASCHI DIANA
GIASUDDIN A.S.M., LEHNER T. & EVANS R.W. Identification, purification and characterization of a streptococcal protein antigen with a molecular weight of 3800, 651
GLASS ELIZABETH J., STEWART J. & WEIR D.M. Membrane changes in murine macrophages after *in-vivo* stimulation and activation, 165
GOETZL E.J., BRINDLEY L.L. & GOLDMAN D.W. Enhancement of human neutrophil adherence by synthetic leukotriene constituents of the slow-reacting substance of anaphylaxis, 35
GOLDMAN D.W. *see* GOETZL E.J.
GOLDMAN J. *see* WERBER MOSHE M.
GOUST J.M. *see* TUNG E.
GREEN NICOLA *see* LAMB J.R.
GUNN A., SCRIMGEOUR D., POTTS R.C., MACKENZIE L.A., BROWN R.A. & BECK J. SWANSON. The destruction of peripheral-blood lymphocytes by extracorporeal exposure to ultraviolet radiation, 477

HAEGERT D.G. & TIMM MARTINA. Expression of immunoglobulin-cross-reactive molecules by neoplastic human T cells. I. Surface detection and isolation of molecules reactive with chicken anti-F(ab′)$_2$, anti-α and anti-μ antibodies, 447
HALL, R. *see* WEETMAN A.P.
HALL T.J. & BROSTOFF J. The lack of effect of histamine-protein conjugates on human lymphocyte responses to concanavalin A and histamine, 273
HALLETT M.B. & CAMPBELL A.K. Direct measurement of intracellular free Ca^{2+} in rat peritoneal macrophages: correlation with oxygen-radical production, 487
HARA A. *see* YAMAGUCHI N.
HAYASHI H. *see* HIRASHIMA M.
HEATH T.D. *see* SHEK P.N.
HIRASHIMA M., TASHIRO K., HIROTSU Y. & HAYASHI H. The mediation of tissue eosinophilia in the skin lesions of local and systemic passive cutaneous anaphylactic reactions, 85
HIROTSU Y. *see* HIRASHIMA M.
HO A.D., MA D.D.F., PRICE G., FIRMAN R., HUNTSTEIN W. & HOFFBRAND A.V. Biochemical and immunological differentiation of human thymocytes induced by thymic hormones, 471
HOBBS S.M., STYLES JENNIFER M., DEAN C.J. & SHEPHERD P.S. Clearance of antibodies from rat sarcoma cell surfaces. Rate of clearance of alloantibodies depends on antibody isotype, 565
HOFFBRAND A.V. *see* HO A.D.
HOLT P.G. *see* SEDGWICK J.D.
HUNTSTEIN W. *see* HO A.D.
HUTCHINGS PATRICIA *see* LEHNER P.
HYODO S. *see* SUZAWA T.

ISHII K. *see* SUZUKI T.
ITO SEIKO & TAMURA N. Inhibition of classical C5 convertase in the complement system by factor H, 631

JANSE E.M. *see* SMINIA T.
JANSE E.M. *see* WILDERS M.M.
JOHNSON G.D. *see* WALKER L.
JOSEPH D. *see* WERBER MOSHE M.
JUDSON P.A., SPRING FRANCES A., TAYLOR M. ANN & ANSTEE D.J. Evidence for carbohydrate-deficient forms of the major sialoglycoproteins of human platelets, granulocytes and T lymphocytes in individuals with Tn syndrome, 415

KAKINUMA M., ONOÉ K., YASUMIZU R. & YAMAMOTO K. Strain differences in lung granuloma formation in response to a BCG cell-wall vaccine in mice. Failure of antigen presentation by low-responder macrophages, 423
KANG S.S. *see* TUNG, E.
KASHIBA S. *see* KITA E.
KASHIWA H. *see* SUZAWA T.
KAWAUCHI H., TANIGUCHI K., KUBO C., SHIMAMOTO Y. & NOMOTO K. The mechanism of reduction of cell-mediated cytotoxicity in neonatally thymectomized mice, 199
KAY J.E., BENZIE C.R. & BORGHETTI A.F. Effect of cyclosporin A on lymphocyte activation by the calcium ionophore A23187, 441
KAZATCHKINE M.D. *see* MAILLET FRANÇOISE
KENNEDY M.W. & THOMAS D.B. Feedback control of the secondary antibody response. II. Differences in the rate of induction of T-helper and T-suppressor memory, 297
KENNEDY M.W. *see* THOMAS D.B.
KIMPTON W.G., POSKITT D.C., DANDIE G.W. & MULLER H.K. The migration of blood-borne lymphocytes into rat popliteal lymph nodes stimulated with xenogeneic red blood cells, 159
KISHI T. *see* SUZAWA T.
KITA E. & KASHIBA S. Immunogenicity of transfer RNA isolated from a two-heptose rough mutant of *Salmonella typhimurium* LT2 in mouse typhoid infection, 369
KITTAKA E. *see* SUZAWA T.
KOLB J.P. *see* CHASSOUX D.
KRAVTSOV V.D. *see* KULBERG A.J.
KUBO C. *see* KAWAUCHI H.
KULBERG A.J., SICHEVA I.M., YURIN B.L., TARKANOVA I.A., FREIDLIN I.S. & KRAVTSOV V.D. Antibodies against Fc receptors to aggregated IgG of mouse spleen cells: selective blocking of the receptors of splenocytes and peritoneal macrophages and abolition of the phagocytosis enhancement produced by the opsonizing IgG antibodies, 335

LACKIE J.M. *see* FORRESTER J.V.
LAKE P. *see* LAMB J.R.

LAMB J.R., & GREEN NICOLA. Analysis of the antigen specificity of influenza haemagglutinin-immune human T lymphocyte clones: identification of an immunodominant region for T cells, 659
LAMB J.R., ZANDERS E.D., FELDMANN M., LAKE P., ECKELS D.D., WOODY J.D. & BEVERLEY P.C.L. The dissociation of interleukin-2 production and antigen-specific helper activity by clonal analysis, 397
LE GROS G.S., PRESTIDGE R.L. & WATSON J.D. *In-vivo* modulation of thymus-derived lymphocytes with monoclonal antibodies in mice. I. Effect of anti-Thy-1 antibody on the tissue distribution of lymphocytes, 537
LEBLANC J. *see* DOINEL C.
LEHNER P., HUTCHINGS PATRICIA, LYDYARD P.M. & COOKE ANNE. Regulation of the immune response by antibody. II. IgM-mediated enhancement: dependency on antigen dose, T-cell requirement and lack of evidence for an idiotype-related mechanism, 503
LEHNER T. *see* GIASUDDIN A.S.M.
LEWIS C.M. & BISHOP C.E. Apparent alteration in MHC antigens in K36.16, an AKR thymoma, does not result in genetic rearrangement, 433
LIDDELL MARJORIE *see* CZITROM A.A.
LOCATI D. *see* SEMERARO N.
LOPES-VIRELLA MARIA F.L. *see* VIRELLA G.
LORENZET R. *see* SEMERARO N.
LYDYARD P.M. *see* LEHNER P.
LYSCOM NICOLE & BRUETON M.J. The impact of post-weaning protein malnutrition on intraepithelial and Peyer's patch lymphocyte sub-types in rat small bowel, 511

MA D.D.F. *see* HO A.D.
MACDERMOTT R.P. *see* ALLEY C.D.
MCGREGOR A.M. *see* WEETMAN A.P.
MACLENNAN I.C.M. *see* CHASSOUX D.
MACLENNAN I.C.M. *see* WALKER L.
MACKENZIE L.A. *see* GUNN A.
MAILLET FRANÇOISE & KAZATCHKINE M.D. Modulation of the formation of the human amplification C3 convertase of complement by polycations, 27
MANTOVANI A. *see* SEMERARO N.
MARBROOK J. *see* EZAKI T.
MASUDA T. *see* SUZUKI T.
MEADOWS G.G. *see* ABDALLAH R.M.
MEDOF M.E. & PRINCE G.M. Alternative pathway-mediated rebinding of immune complexes to human red blood cells, 1
MEDOF M.E. & PRINCE G.M. Immune complex alterations occur on the human red blood cell membrane, 11
MITCHELL D.M., BEVERLEY P.C.L., BOYLE DONNA G., WINGER L.A. & CALLARD R.E. Accessory cell and HLA compatibility requirements for the generation of specific *in-vitro* antibody responses to influenza virus by human blood lymphocytes, 239
MIYAMA-INABA M. *see* SUZUKI T.
MORGAN R.S. *see* POSTON R.N.
MOWAT A.MCI. & PARROTT DELPHINE M.V. Immunological responses to fed protein antigens in mice. IV. Effects of stimulating the reticuloendothelial system on oral tolerance and intestinal immunity to ovalbumin, 547
MULLER H.K. *see* KIMPTON W.G.
MURAKAMI A. *see* SUZUKI T.

NASH G.S. *see* ALLEY C.D.
NENCIONI L. *see* BORASCHI DIANA
NEWTON CHRISTINE A. *see* BRENNER M.K.
NIETO MARIA *see* ALFRED L.J.
NISHI MICHIKO, YAN K. & BITO Y. Immature chicken B cells with immunocompetence restricted to IgM type do not elicit the formation of germinal centres, 671
NOMOTO K. *see* KAWAUCHI H.
NORTH MARGARET E. *see* BRENNER M.K.

OKADA H. *see* OKADA NORIKO
OKADA NORIKO, YASUDA T., TSUMITA T. & OKADA H. Activation of the alternative complement pathway by natural antibody to glycolipids in guinea-pig serum, 75
ONOÉ K. *see* KAKINUMA M.
ORME I.M. & COLLINS F.M. Infection with *Mycobacterium kansasii* and efficacy of vaccination against tuberculosis, 581
OSHIMA T. *see* SUGANE K.

PABST R. & PÖTSCHICK K. Proliferation and emigration of newly formed lymphocytes from pig spleens during an immune response, 281
PALMER R.M.J. & SALMON J.A. Release of leukotriene B_4 from human neutrophils and its relationship to degranulation induced by *N*-formyl-methionyl-leucyl-phenylalanine, serum-treated zymosan and the ionophore A23187, 65
PARROTT DELPHINE M.V. *see* MOWAT A.MCI.
PASQUALETTO ELENA *see* BORASCHI DIANA
PEREZ R. *see* ALFRED L.J.
PETERSON C.G.B. & VENGE P. Purification and characterization of a new cationic protein—eosinophil protein-X (EPX)—from granules of human eosinophils, 19
POSKITT D.C. *see* KIMPTON W.G.
POSTON R.N. & MORGAN R.S. Interactions between soluble IgG, complement and cells in lymphocyte and monocyte ADCC, 461
PÖTSCHICK K. *see* PABST R.
POTTS R.C. *see* GUNN A.
PRESTIDGE R.L. *see* LE GROS G.S.
PRICE G. *see* HO A.D.
PRINCE G.M. *see* MEDOF M.E.

RADNAY J. *see* WERBER MOSHE M.
RATCLIFFE A. & STANWORTH D.R. The localization of the binding site(s) on human IgG1 for the Fc receptors on homologous monocytes and heterologous mouse macrophages, 93
REVIRON J. *see* DOINEL C.
RICCI C. *see* BARONI C.D.
ROUGER PH. *see* DOINEL C.
ROZENSZAJN L.A. *see* WERBER MOSHE M.
RUCO L.P. *see* BARONI C.D.

SAITO K. *see* TAMAUCHI H.
SAITO T. *see* YAMAGUCHI N.
SAKANO T. *see* SUZAWA T.
SALMON CH. *see* DOINEL C.
SALMON J.A. *see* PALMER R.M.J.
SALMONA M. *see* BORASCHI DIANA
SAVION N. *see* GALLILY RUTH

SCRIMGEOUR D. *see* GUNN A.
SEDGWICK J.D. & HOLT P.G. Induction of IgE-isotype specific tolerance by passive antigenic stimulation of the respiratory mucosa, 625
SEMERARO N., BIONDI A., LORENZET R., LOCATI D., MANTOVANI A. & DONATI M.B. Direct induction of tissue factor synthesis by endotoxin in human macrophages from diverse anatomical sites, 529
SHALEV A. & ZUCKERMAN F. A cell-free soluble-phase radioimmunoassay for Thy-1 antigen, 667
SHEK P.N. & HEATH T.D. Immune response mediated by liposome-associated protein antigens. III. Immunogenicity of bovine serum albumin covalently coupled to vesicle surface, 101
SHEPHERD P.S. *see* HOBBS S.M.
SHERWOOD T. *see* VIRELLA G.
SHIMAMOTO Y. *see* KAWAUCHI H.
SHIMIZU S. *see* YAMAGUCHI N.
SHIOZAWA K. *see* SHIOZAWA S.
SHIOZAWA S., SHIOZAWA K. & FUJITA T. Presence of HLA-DR antigen on synovial type A and B cells: an immunoelectron microscopic study in rheumatoid arthritis, osteoarthritis and normal traumatic joints, 587
SHULER CAROL *see* VIRELLA G.
SICHEVA I.M. *see* KULBERG A.J.
SKINNER M.A. *see* EZAKI T.
SKOGH T., EDEBO L. & STENDAHL OLLE. Gastrointestinal uptake and blood clearance of antigen in the presence of IgA antibodies, 175
SMINIA T., DELEMARRE F. & JANSE E.M. Histological observations on the intestinal immune response towards horseradish peroxidase in rats, 53
SMINIA T. *see* WILDERS M.M.
SMITH D.J., EBERSOLE J.L. & TAUBMAN M.A. Local and systemic immune response in aged hamsters, 407
SMITH J.B. Frequency in human peripheral blood of T cells which respond to self, modified self and alloantigens, 181
SOLDATESCHI D. *see* BORASCHI DIANA
SPRING FRANCES A. *see* JUDSON P.A.
STANWORTH D.R. *see* RATCLIFFE A.
STARKEY JEAN R. *see* ABDALLAH R.M.
STENDAHL OLLE *see* SKOGH T.
STEVENS P., YOUNG L.S. & ADAMU S. Opsonization of various capsular (K) *E. coli* by the alternative complement pathway, 497
STEWART J. *see* GLASS ELIZABETH J.
STOPPACCIARO ANTONELLA *see* BARONI C.D.
STYLES JENNIFER M. *see* HOBBS S.M.
SUGANE K. & OSHIMA T. Purification and characterization of excretory and secretory antigen of *Toxocara canis* larvae, 113
SUZAWA T., HYODO S., KISHI T., KASHIWA H., KITTAKA E., SAKANO T. & USUI T. Induction of human T-lymphocyte colonies by phorbol myristate acetate, 575
SUZUKI T., MIYAMA-INABA M., MASUDA T., UCHINO H. & ISHII K. Monoclonal SBF produced by a hybridoma: *in-vitro* and *in-vivo* suppression of B tumour-cell proliferation, 595
SUZUKI T., MIYAMA-INABA M., MASUDA T., UCHINO H., MURAKAMI A. & TANAKA H. Suppressive B-cell factor (SBF) produced by FcRγ-bearing B cells; suppression of B, but not non-B-cell proliferation, 149
TADAKUMA T. *see* TAMAUCHI H.
TAGLIABUE A. *see* BORASCHI DIANA
TAMAUCHI H., TADAKUMA T., YASUDA T., TSUMITA T. & SAITO K. Enhancement of immunogenicity by incorporation of lipid A into liposomal model membranes and its application to membrane-associated antigens, 605
TANMURA N. *see* Ito Seiko
TANAKA H. *see* SUZUKI T.
TANIGUCHI K. *see* KAWAUCHI H.
TARKHANOVA I.A. *see* KULBERG A.J.
TASHIRO K. *see* HIRASHIMA M.
TAUBMAN M.A. *see* SMITH D.J.
TAYLOR M. ANN *see* JUDSON P.A.
THOMAS D.B. & KENNEDY M.W. Feedback control of the secondary antibody response. I. A suppressor, suppressor-inducer mechanism from the interaction of B-memory cells with Lyt 2^- T cells, 289
THOMAS D.B. *see* KENNEDY M.W.
THORNE KAREEN J.I. & FRANKS D. Importance of oxidative metabolism in T cell cytotoxicity: a comparison of cloned T cells and spleen cells, 645
TIMM MARTINA *see* HAEGERT D.G.
TSUMITA T. *see* OKADA NORIKO
TSUMITA T. *see* TAMAUCHI H.
TUNG E., GOUST J.M., CHEN W.Y., KANG S.S., WANG I.Y. & WANG A.C. Cytotoxic effect of anti-idiotype antibody–Chlorambucil conjugates against human lymphoblastoid cells, 57

UCCINI STEFANIA *see* BARONI C.D.
UCHINO H. *see* SUZUKI T.
USUI T. *see* SUZAWA T.

VALTIERI M. *see* BARONI C.D.
VAN ES L.A. *see* DAHA M.R.
VENGE P. *see* PETERSON C.G.B.
VILLA L. *see* BORASCHI DIANA
VIRELLA G., LOPES-VIRELLA MARIA F.L., SHULER CAROL, SHERWOOD T., ESPINOZA G.A., WINOCOUR P. & COLWELL J.A. Release of PAF by human polymorphonuclear leucocytes stimulated by immune complexes bound to Sepharose particles and human erythrocytes, 43

WALKER L., JOHNSON G.D. & MACLENNAN I.C.M. The IgG subclass responses of human lymphocytes to B-cell activators, 269
WANG A.C. *see* TUNG E.
WANG I.Y. *see* TUNG E.
WATSON J.D. *see* LE GROS G.S.
WEETMAN A.P., MCGREGOR A.M. & HALL R. Thyroglobulin uptake and presentation by macrophages in experimental autoimmune thyroiditis, 315
WEIR D.M. *see* GLASS ELIZABETH J.
WERBER MOSHE M., DAPHNA D., GOLDMAN J., JOSEPH D., RADNAY J. & ROZENSZAJN L.A. Identification and partial purification of human T lymphocyte colony-enhancing factor (LCEF), distinct from T cell-growth factor, 261
WEYMAN CHRISTINE *see* BRENNER M.K.
WILDERS M.M., SMINIA T. & JANSE E.M. Ontogeny of non-lymphoid and lymphoid cells in the rat gut with special reference to large mononuclear Ia-positive dendritic cells, 303

WILKINSON P.C. *see* FORRESTER J.V.
WINGER L.A. *see* MITCHELL D.M.
WINOCOUR P. *see* VIRELLA G.
WOJDANI A. *see* ALFRED L.J.
WOOD P.R., ANDRUS L. & CLARK I.A. Production of lymphocyte activating factor *in vivo*, 637
WOODY J.N. *see* LAMB J.R.

YAMAGUCHI N., SHIMIZU S., HARA A. & SAITO T. The effect of maternal antigenic stimulation upon the active immune responsiveness of their offspring, 229
YAMAMOTO K. *see* KAKINUMA M.
YAN K. *see* NISHI MICHIKO
YASUDA T. *see* OKADA NORIKO
YASUDA T. *see* TAMAUCHI H.
YASUMIZU R. *see* KAKINUMA M.
YOSHIDA G. *see* ALFRED L.J.
YOUNG L.S. *see* STEVENS P.
YURIN B.L. *see* KULBERG A.J.

ZANDERS E.D. *see* LAMB J.R.
ZUCKERMAN F. *see* SHALEV A.

Subject Index

Accessory cell and HLA compatibility requirements for the generation of specific *in-vitro* antibody responses to influenza virus by human blood lymphocytes, 239

Accessory cell requirements for the development of cytotoxic T lymphocytes, analysis of Primary T-cell responses to minor alloantigens, II, 555

ADCC (lymphocyte and monocyte), interactions between soluble IgG, complement and cells in, 461

Aged hamsters, local and systemic immune response in, 407

Ageing, the human thymus in: histologic involution paralleled by increased mitogen response and by enrichment of $OKT3^+$ lymphocytes, 519

AKR thymoma K36.16, apparent alteration in MHC antigens in, does not result in genetic rearrangement, 433

Alcohol and related dietary effects on mouse natural killer-cell activity, 131

Alloantibodies, rate of clearance of, depends on antibody isotype. Clearance of antibodies from rat sarcoma cell surfaces, 565

Alloantigens, frequency in human peripheral blood of T cells which respond to self, modified self and, 181

Alloantigens (minor), primary T-cell responses to. I. Characterization of cytotoxic effector cells generated from regional lymph nodes after immunization in the footpad, 121

Alloantigens (minor), primary T-cell responses to. II. Analysis of accessory cell requirements for the development of cytotoxic T lymphocytes, 555

α-chain subunits of human Ia alloantigens, production and characterization of monoclonal antibodies recognizing the, 613

$\alpha_2$macroglobulin, effect of modified, on leucocyte locomotion and chemotaxis, 251

Alternative complement pathway, activation, of, by natural antibody glycolipids in guinea-pig serum, 75

Alternative complement pathway, opsonization of various capsular (K) *E. coli* by the, 497

Alternative pathway-mediated rebinding of immune complexes to human red blood cells, 1

Anaphylaxis, enhancement of human neutrophil adherence by synthetic leukotriene constituents of the slow-reacting substance of, 35

Anti-idiotype antibody–Chlorambucil conjugates, cytotoxic effect of, against human lymphoblastoid cells, 57

Antibodies, clearance of, from rat sarcoma cell surfaces. Rate of clearance of alloantibodies depends on antibody isotype, 565

Antibody-dependent cellular cytotoxicity (K) and natural killing (NK) in B-suppressed germ-free nude rats, 327

Antibody production *in vitro*, suppression of, by pokeweed mitogen-stimulated human bone-marrow mononuclear cells. Evidence for a soluble suppressor substance, 387

Antibody to glycolipids in guinea-pig serum, activation of the alternative complement pathway by natural, 75

Antigen dose, dependency on, T-cell requirement and lack of evidence for an idiotype-related mechanism in IgM-mediated enhancement. Regulation of the immune response by antibody, II, 503

Antigen, gastrointestinal uptake and blood clearance of, in the presence of IgA antibodies, 175

Antigen presentation by low-responder macrophages, failure of. Strain differences in lung granuloma formation in response to a BCG cell-wall vaccine in mice, 423

Antigen-specific helper activity, the dissociation of interleukin-2 production and, by clonal analysis, 397

Antigens, immune response mediated by liposome-associated protein. III. Immunogenicity of bovine serum albumin covalently coupled to vesicle surface, 101

Arthritis (rheumatoid), osteoarthritis and normal traumatic joints, an immunoelectron microscopic study in: presence of HLA-DR antigen on synovial type A and B cells, 587

Autoimmune thyroiditis, thyroglobulin uptake and presentation by macrophages in experimental, 315

Autologous rosette-forming T-cell subsets defined with monoclonal antibodies, role of: cellular bases of the production of and response to interleukin-2, 223

B-cell activators, the IgG subclass responses of human lymphocytes to, 269

B-cell growth factors (non-specific), the interaction of specific T-cell help and, in the production of anti-tetanus antibody by human B cells grown in serum-free microcultures, 377

B cells (immature chicken) with immunocompetence restricted to IgM type do not elicit the formation of germinal centres, 671

B cells, suppressive B-cell factor (SBF) produced by FcRγ-bearing; suppression of B, but not non-B-cell proliferation, 149

B-memory cells with $Lyt\ 2^-$ T cells, a suppressor, suppressor-inducer mechanism from the interaction of. Feedback control of secondary antibody response, I, 289

B-suppressed germ-free nude rats, antibody-dependent cellular cytotoxicity (K) and natural killing (NK) in, 327

B tumour-cell proliferation, *in-vitro* and *in-vivo* suppression of: monoclonal SBF produced by a hybridoma, 595

BCG cell-wall vaccine in mice, strain differences in lung granuloma formation in response to. Failure of antigen presentation by low-responder macrophages, 423

Binding site(s), the localization of, on human IgG1 for the receptors on homologous monocytes and heterologous mouse macrophages, 93

Blood group H type-1 and -2 structures, a murine monoclonal antibody against, 215

Bone-marrow mononuclear cells (human) stimulated by pokeweed mitogen, suppression of *in-vitro* antibody production by. Evidence for a soluble suppressor substance, 387

Bovine serum albumin covalently coupled to vesicle surface, immunogenicity of. Immune response mediated by liposome-associated protein antigens, III, 101

C3 convertase of complement, modulation of the formation of the human amplification, by polycations, 27
Ca^{2+}, direct measurement of intracellular free, in rat peritoneal macrophages: correlation with oxygen-radical production, 487
Calcium ionophore A23187, effect of cyclosporin A on lymphocyte activation by, 441
Carbohydrate-deficient forms of the major sialoglycoproteins of human platelets, granulocytes and T lymphocytes in individuals with Tn syndrome, evidence for, 415
Carcinogen, a chemical, 3-methylcholanthrene, alters T-cell function and induces T-suppressor cells in a mouse model system, 207
Cationic protein, purification and characterization of a new,—eosinophil protein-X (EPX)—from granules of human eosinophils, 19
Cell-mediated cytotoxicity in neonatally thymectomized mice, the mechanism of reduction of, 199
Chicken anti-$F(ab')_2$, anti-α and anti-μ antibodies, surface detection and isolation of molecules reactive with. Expression of immunoglobulin-cross-reactive molecules by neoplastic human T cells, I, 447
Chlorambucil: cytotoxic effect of anti-idiotype antibody–Chlorambucil conjugates against human lymphoblastoid cells, 57
Clonal analysis, the dissociation of interleukin-2 production and antigen-specific helper activity by, 397
Cloned T cells and spleen cells, a comparison of: importance of oxidative metabolism in T cell cytotoxicity, 645
Complement-dependent inhibition of degradation of soluble immune complexes and immunoglobulin aggregates by thioglycollate-stimulated peritoneal macrophages, 107
Complement, modulation of the formation of the human amplification C3 convertase of, by polycations, 27
Complement system, inhibition of classical C5 convertase in the, by factor H, 631
Con A, bovine monocytes and macrophages—an accessory role in suppressor-cell generation by, and in lectin-induced proliferation, 189
Concanavalin A and histamine, the lack of effect of histamine-protein conjugates on human lymphocyte responses to, 273
Cyclosporin A, effect of, on lymphocyte activation by the calcium ionophore A23187, 441
Cytotoxic effect of anti-idiotype antibody–Chlorambucil conjugates against human lymphoblastoid cells, 57
Cytotoxic effector cells generated from regional lymph nodes after immunization in the footpad, characterization of. Primary T-cell responses to minor alloantigens, I, 121
Cytotoxic T cells (spontaneous) in murine spleen-cell cultures. I. Some characteristics of effector and precursor cells, 343
Cytotoxic T cells (spontaneous) in murine spleen-cell cultures. II. Distinguishing between spontaneous cytotoxic T cells and NK cells according to kinetics and target selectivity, 351
Cytotoxic T lymphocytes, analysis of accessory cell requirements for the development of. Primary T-cell responses to minor alloantigens, II, 555
Cytotoxicity in neonatally thymectomized mice, the mechanism of reduction of cell-mediated, 199

E. coli, opsonization of various capsular (K), by the alternative complement pathway, 497
Effector and precursor cells, some characteristics of. Spontaneous cytotoxic T cells in murine spleen-cell cultures, I, 343
Endotoxin, direct induction of tissue factor synthesis by, in human macrophages from diverse anatomical sites, 529
Eosinophil protein-X (EPX), purification and characterization of a new cationic protein, from granules of human eosinophils, 19
Eosinophilia, the mediation of tissue, in hypersensitivity reactions. V. Comparative study of tissue eosinophilia in the skin lesions of local and systemic passive cutaneous anaphylactic reactions, 85
Excretory and secretory antigen of *Toxocara canis* larvae, purification and characterization of, 113

Factor H, inhibition of classical C5 convertase in the complement system by, 631
Fc receptors on homologous monocytes and heterologous mouse macrophages, the localization of the binding site(s) on human IgG1 for the, 93
Fc receptors to aggregated IgG of mouse spleen cells, antibodies against: selective blocking of the receptors of splenocytes and peritoneal macrophages and abolition of the phagocytosis enhancement produced by the opsonizing IgG antibodies, 335
$Fc\gamma R$-bearing B cells, suppressive B-cell factor (SBF) produced by; suppression of B, but not non-B-cell proliferation, 149

Gastrointestinal uptake and blood clearance of antigen in the presence of IgA antibodies, 175
Genetic rearrangement, apparent alteration in MHC antigens in K36.16, an AKR thymoma, does not result in, 433
Germinal centres, immature chicken B cells with immunocompetence restricted to IgM type do not elicit the formation of, 671
Glycolipids in guinea-pig serum, activation of the alternative complement pathway by natural antibody to, 75
Granulocytes, platelets and T lymphocytes (human) in individuals with Tn syndrome, evidence for carbohydrate-deficient forms of the major sialoglycoproteins of, 415
Gut, ontogeny of non-lymphoid and lymphoid cells in the rat, with special reference to large mononuclear Ia-positive dendritic cells, 303

Haemagglutinin-immune human T lymphocyte clones, analysis of the antigen specificity of influenza: identification of the immunodominant region for T cells, 659
Hamsters, local and systemic immune response in aged, 407
Histamine-protein conjugates on human lymphocyte responses to concanavalin A and histamine, 273
HLA compatibility requirements for the generation of specific *in-vitro* antibody responses to influenza virus by human blood lymphocytes, accessory cell and, 239

HLA-DR antigen, presence of, on synovial type A and B cells: an immunoelectron microscopic study in rheumatoid arthritis, osteoarthritis and normal traumatic joints, 587
Hormones (thymic), biochemical and immunological differentiation of human thymocytes induced by, 471
Horseradish peroxidase, histological observations on the intestinal immune response in rats towards, 53
Human erythrocytes, release of PAF by human polymorphonuclear leucocytes stimulated by immune complexes bound to Sepharose particles and, 43
Hybridoma, monoclonal SBF produced by a: *in-vitro* and *in-vivo* suppression of B tumour-cell proliferation, 595
Hydrogen peroxide production by macrophages, interferon decreases; correlation with reduction of suppressive capacity and of anti-microbial activity, 359

Ia alloantigens (human), production and characterization of monoclonal antibodies recognizing the α-chain subunits of, 613
Ia-positive dendritic cells (large mononuclear), ontogeny of non-lymphoid and lymphoid cells in the rat gut with special reference to, 303
Idiotype-related mechanism, dependency on antigen dose, T-cell requirement and lack of evidence for an, in IgM-mediated enhancement. Regulation of the immune response by antibody, II, 503
IgA antibodies, gastrointestinal uptake and blood clearance of antigen in the presence of, 175
IgE-isotype specific tolerance, induction of, by passive antigenic stimulation of the respiratory mucosa, 625
IgG of mouse spleen cells, antibodies against Fc receptors to aggregated: selective blocking of the receptors of splenocytes and peritoneal macrophages and abolition of the phagocytosis enhancement produced by the opsonizing IgG antibodies, 335
IgG (soluble), complement and cells, interaction between, in lymphocyte and monocyte ADCC, 461
IgG subclass responses of human lymphocytes to B-cell activators, 269
IgG1 (human), the localization of the binding site(s) on, for the Fc receptors on homologous monocytes and heterologous mouse macrophages, 93
IgM-mediated enhancement: dependency on antigen dose, T-cell requirement and lack of evidence for an idiotype-related mechanism. Regulation of the immune response by antibody, II, 503
IgM type, immature chicken B cells with immunocompetence restricted to, do not elicit the formation of germinal centres, 671
Immune complex alterations occur on the human red blood cell membrane, 11
Immune complexes, alternative pathway-mediated rebinding of, to human red blood cells, 1
Immune complexes bound to Sepharose particles and human erythrocytes, release of PAF by human polymorphonuclear leucocytes stimulated by, 43
Immune response (local and systemic) in aged hamsters, 407
Immunoglobulin-cross-reactive molecules, expression of, by neoplastic human T cells. I. Surface detection and isolation of molecules reactive with chicken anti-F(ab′)$_2$, anti-α and anti-μ antibodies, 447
In-vivo modulation of thymus-derived lymphocytes with monoclonal antibodies in mice. I. Effect of anti-Thy-1 antibody on the tissue distribution of lymphocytes, 537
Influenza haemagglutinin-immune human T lymphocyte clones, analysis of the antigen specificity of: identification of an immunodominant region for T cells, 659
Influenza virus by human blood lymphocytes, accessory cell and HLA compatibility requirements for the generation of specific *in-vitro* antibody responses to, 239
Interferon decreases production of hydrogen peroxide by macrophages: correlation with reduction of suppressive capacity and of anti-microbial activity, 359
Interleukin-2 in man, cellular bases of the production of and response to: role of autologous rosette-forming T-cell subsets defined with monoclonal antibodies, 223
Interleukin-2 production and antigen-specific helper activity, the dissociation of, by clonal analysis, 397
Intestinal immune response towards horseradish peroxidase in rats, histological observations on the, 53
Intestinal immunity and oral tolerance to ovalbumin, effects of stimulating the reticuloendothelial system on. Immunological responses to fed protein antigens in mice, IV, 547
Ionophore A23187, *N*-formyl-methionyl-leucyl-phenylalanine and serum-treated zymosan, release of leukotriene B$_4$ from human neutrophils and its relationship to degranulation induced by, 65

K36.16, an AKR thymoma, apparent alteration in MHC antigens in, does not result in genetic rearrangement, 433

Lectin-induced proliferation, bovine monocytes and macrophages—an accessory role in suppressor-cell generation by Con A and in, 189
Leucocyte locomotion and chemotaxis, effect of modified α$_2$macroglobulin on, 251
Leukotriene B$_4$, release of, from human neutrophils and its relationship to degranulation induced by *N*-formyl-methionyl-leucyl-phenylalnine, serum-treated zymosan and the ionophore A23187, 65
Leukotriene (synthetic) constituents of the slow-reacting substance of anaphylaxis, enhancement of human neutrophil adherence by, 35
Lipid A, enhancement of immunogenicity by incorporation of, into liposomal model membranes and its application to membrane associated antigens, 605
Liposomal model membranes, enhancement of immunogenicity by incorporation of lipid A into, and its application to membrane-associated antigens, 605
Liposome-associated protein antigens, immune response mediated by. III. Immunogenicity of bovine serum albumin covalently coupled to vesicle surface, 101
Lung granuloma formation in response to a BCG cell-wall vaccine in mice, strain differences in. Failure of antigen presentation by low-responder macrophages, 423
Lymph nodes (regional), characterization of cytotoxic effector cells generated from, after immunization in the footpad. Primary T-cell responses to minor alloantigens, I, 121
Lymph nodes stimulated with xenogeneic red blood cells, the migration of blood-borne lymphocytes into rat popliteal, 159
Lymphoblastoid cells (human), cytotoxic effect of anti-idiotype antibody–Chlorambucil conjugates against, 57
Lymphocyte activating factor *in vivo*, production of, 637

Lymphocyte activation by the calcium ionophore A23187, effect of cyclosporin A on, 441
Lymphocyte and monocyte ADCC, interactions between soluble IgG, complement and cells in, 461
Lymphocyte colony-enhancing factor (LCEF), identification and partial purification of human T, distinct from T cell-growth factor, 261
Lymphocyte responses (human) to concanavalin A and histamine, the lack of effect of histamine-protein conjugates on, 273
Lymphocyte sub-types (intraepithelial and Peyer's patch) in rat small bowel, the impact of post-weaning protein malnutrition on, 511
Lymphocytes, accessory cell and HLA compatibility requirements for the generation of specific *in-vitro* antibody responses to influenza virus by human blood, 239
Lymphocytes from pig spleens during an immune response, proliferation and emigration of newly formed, 281
Lymphocytes, the destruction of peripheral-blood, extracorporeal exposure to ultraviolet radiation, 477
Lymphocytes, the IgG subclass responses of human, to B-cell activators, 269
Lymphocytes, the migration of blood-borne, into rat popliteal lymph nodes stimulated with xenogeneic red blood cells, 159
Lymphoid and non-lymphoid cells in the rat gut, ontogeny of, with special reference to large mononuclear Ia-positive dendritic cells, 303
Lyt 2^- T cells, a suppressor, suppressor-inducer mechanism from the interaction of B-memory cells with. Feedback control of secondary antibody response, I, 289

Macrophage production of hydrogen peroxide, interferon decreases: correlation with reduction of suppressive capacity and of anti-microbial activity, 359
Macrophages, bovine monocytes and: an accessory role in suppressor-cell generation by Con A and in lectin-induced proliferation, 189
Macrophages, complement-dependent inhibition of degradation of soluble immune complexes and immunoglobulin aggregates by thioglycollate-stimulated peritoneal, 107
Macrophages, cultivation, proliferation and characterization of thymic, 139
Macrophages, direct measurement of intracellular free Ca^{2+} in rat peritoneal: correlation with oxygen-radical production, 487
Macrophages, failure of antigen presentation by low-responder. Strain differences in lung granuloma formation in response to a BCG cell-wall vaccine in mice, 423
Macrophages (heterologous mouse) and homologous monocytes, the localization of the binding site(s) on human IgG1 for the Fc receptors on, 93
Macrophages (human) from diverse anatomical sites, direct induction of tissue factor synthesis by endotoxin in, 529
Macrophages (murine), membrane changes in, after *in-vivo* stimulation and activation, 165
Macrophages, selective blocking of the receptors of splenocytes and peritoneal, and abolition of the phagocytosis enhancement produced by the opsonizing IgG antibodies: antibodies against Fc receptors to aggregated IgG of mouse spleen cells, 335
Macrophages, thyroglobulin and presentation by, in experimental autoimmune thyroiditis, 315
Maternal antigenic stimulation, the effect of, upon the active immune responsiveness of their offspring, 229
Membrane-associated antigens, enhancement of immunogenicity by incorporation of lipid A into liposomal model membranes and its application to, 605
Membrane changes in murine macrophages after *in-vivo* stimulation and activation, 165
3-Methylcholanthrene, a chemical carcinogen, alters T-cell function and induces T-suppressor cells in a mouse model system, 207
MHC antigens, apparent alteration in, in K36.16, and AKR thymoma, does not result in genetic rearrangement, 433
Mitogen response, histologic involution paralleled by increased, and by enrichment of $OKT3^+$ lymphocytes: the human thymus in ageing, 519
Monoclonal antibodies in mice, *in-vivo* modulation of thymus-derived lymphocytes with. I. Effect of anti-Thy-1 antibody on the tissue distribution of lymphocytes, 537
Monoclonal antibodies recognizing the α-chain subunits of human Ia alloantigens, production and characterization of, 613
Monoclonal antibodies, role of autologous rosette-forming T-cell subsets defined with: cellular bases of the production of and response to interleukin-2, 223
Monoclonal antibody (murine) against blood group H type-1 and -2 structures, 215
Monocyte and lymphocyte ADCC, interactions between soluble IgG, complement and cells in, 461
Monocytes and macrophages (bovine): an accessory role in suppressor-cell generation by Con A and in lectin-induced proliferation, 189
Monocytes (homologous) and heterologous mouse macrophages, the localization of the binding site(s) on human IgG1 for the Fc receptors on, 93
Mucosa (respiratory), induction of IgE-isotype specific tolerance by passive antigenic stimulation of the, 625
Mycobacterium kansasii, infection with, and efficacy of vaccination against tuberculosis, 581

N-formyl-methionyl-leucyl-phenylalanine, serum-treated zymosan and the ionophore A23187, release of leukotriene B_4 from human neutrophils and its relationship to degranulation induced by, 65
Natural killer-cell activity in the mouse, alcohol and related dietary effects on, 131
Natural killing (NK) and antibody-dependent cellular cytotoxicity (K) in B-suppressed germ-free nude rats, 327
Neutrophil (human) adherence, enhancement of, by synthetic leukotriene constituents of the slow-reacting substance of anaphylaxis, 35
Neutrophils (human), release of leukotriene B_4 from, and its relationship to degranulation induced by *N*-formyl-methionyl-leucyl-phenylalanine, serum-treated zymosan and the ionophore A23187, 65
NK cells and spontaneous cytotoxic T cells, distinguishing between, according to kinetics and target selectivity. Spontaneous cytotoxic T cells in murine spleen-cell cultures, II, 351

OKT3$^+$ lymphocytes, histologic involution paralleled by increased mitogen response and by enrichment of: the human thymus in ageing, 519
Oral tolerance and intestinal immunity to ovalbumin, effects of stimulating the reticuloendothelial system on. Immunological responses to fed protein antigens in mice, IV, 547
Ovalbumin, effects of stimulating the reticuloendothelial system on oral tolerance and intestinal immunity to. Immunological responses to fed protein antigens in mice, IV, 547
Oxidative metabolism, importance of, in T cell cytotoxicity: a comparison of cloned T cells and spleen cells, 645
Oxygen-radical production: correlation with direct measurement of intracellular free Ca^{2+} in rat peritoneal macrophages, 487

PAF, release of, by human polymorphonuclear leucocytes stimulated by immune complexes bound to Sepharose particles and human erythrocytes, 43
Passive antigenic stimulation of the respiratory mucosa, induction of IgE-isotype specific tolerance by, 625
Passive cutaneous anaphylactic reactions, comparative study of tissue eosinophilia in the skin lesions of local and systemic. The mediation of tissue eosinophilia in hypersensitivity reactions, V, 85
Peripheral blood, frequency in human, of T cells which respond to self, modified self and alloantigens, 181
Peripheral-blood lymphocytes, the destruction of, by extracorporeal exposure to ultraviolet radiation, 477
Phorbol myristate acetate, induction of T-lymphocyte colonies by, 575
Platelets, granulocytes and T lymphocytes (human) in individuals with Tn syndrome, evidence for carbohydrate-deficient forms of the major sialoglycoproteins of, 415
Pokeweed mitogen-stimulated human bone-marrow mononuclear cells, suppression of *in-vitro* antibody production by. Evidence for a soluble suppressor substance, 387
Polycations, modulation of the formation of the human amplification C3 convertase of complement by, 27
Polymorphonuclear leucocytes (human), release of PAF by, stimulated by immune complexes bound to Sepharose particles and human erythrocytes, 43
Popliteal lymph nodes (rat) stimulated with xenogeneic red blood cells, the migration of blood-borne lymphocytes into, 159
Precursor and effector cells, some characteristics of. Spontaneous cytotoxic T cells in murine spleen-cell cultures, I, 343
Protein antigen (streptococcal) with a molecular weight of 3800, identification, purification and characterization of a, 651
Protein antigens fed to mice, immunological responses to. IV. Effects of stimulating the reticuloendothelial system on oral tolerance and intestinal immunity to ovalbumin, 547
Protein malnutrition (post-weaning), the impact of, on intraepithelial and Peyer's patch lymphocyte sub-types in rat small bowel, 511
Protein, purification and characterization of a new cationic,—eosinophil protein-X (EPX)—from granules of human eosinophils, 19

Radioimmunoassay for Thy-1 antigen, a cell-free soluble-phase, 667
Red blood cell membrane (human), immune complex alterations occur on the, 11
Red blood cells, alternative pathway-mediated rebinding of immune complexes to human, 1
Respiratory mucosa, induction of IgE-isotype specific tolerance by passive antigenic stimulation of the, 625
Reticuloendothelial system, effects of stimulating, on oral tolerance and intestinal immunity to ovalbumin. Immunological responses to fed protein antigens in mice, IV, 547

Salmonella typhimurium LT2, immunogenicity of transfer RNA isolated from a two-heptose rough mutant of, in mouse typhoid infection, 369
Sarcoma cell surfaces, clearance of antibodies from rat. Rate of clearance of alloantibodies depends on antibody isotype, 565
SBF (monoclonal) produced by a hybridoma: *in-vitro* and *in-vivo* suppression of B tumour-cell proliferation, 595
Secondary antibody response, feedback control of. I. A suppressor, suppressor-inducer mechanism from the interaction of B-memory cells with Lyt 2$^-$ T cells, 289
Secondary antibody response, feedback control of. II. Differences in the rate of induction of T-helper and T-suppressor memory, 297
Self, modified self and alloantigens, frequency in human peripheral blood of T cells which respond to, 181
Sepharose particles and human erythrocytes, release of PAF by human polymorphonuclear leucocytes stimulated by immune complexes bound to, 43
Sialoglycoproteins, evidence for carbohydrate-deficient forms of the major, of human platelets, granulocytes and T lymphocytes in individuals with Tn syndrome, 415
Skin lesions of local and systemic passive cutaneous anaphylactic reactions, comparative study of tissue eosinophilia in the. The mediation of tissue eosinophilia in hypersensitivity reactions, V, 85
Slow-reacting substance of anaphylaxis, enhancement of human neutrophil adherence by synthetic leukotriene constituents of the, 35
Small bowel (rat), the impact of post-weaning protein malnutrition on intraepithelial and Peyer's patch lymphocyte sub-types in, 511
Soluble suppressor substance, evidence for a. Suppression of *in-vitro* antibody production by pokeweed mitogen-stimulated human bone-marrow mononuclear cells, 387
Spleen-cell cultures (murine), spontaneous cytotoxic T cells in. I. Some characteristics of effector and precursor cells, 343
Spleen-cell cultures (murine), spontaneous cytotoxic T cells in. II. Distinguishing between spontaneous cytotoxic T cells and NK cells according to kinetics and target selectivity, 351
Spleen cells and cloned T cells, a comparison of: importance of oxidative metabolism in T cell cytotoxicity, 645
Spleen cells (mouse), antibodies against Fc receptors to aggregated IgG of: selective blocking of the receptors of splenocytes and peritoneal macrophages and abolition of the phagocytosis enhancement produced by the opsonizing IgG antibodies, 335

Spleens, proliferation and emigration of newly formed lymphocytes from pig, during an immune response, 281
Spontaneous cytotoxic T cells in murine spleen-cell cultures. I. Some characteristics of effector and precursor cells, 343
Spontaneous cytotoxic T cells in murine spleen-cell cultures. II. Distinguishing between spontaneous cytotoxic T cells and NK cells according to kinetics and target selectivity, 351
Streptococcal protein antigen with a molecular weight of 3800, identification, purification and characterization of a, 651
Suppressive B-cell factor (SBF) produced by FcRγ-bearing B cells; suppression of B, but not non-B-cell proliferation, 149
Suppressor-cell generation by Con A, an accessory role for bovine monocytes and macrophages in, and in lectin-induced proliferation, 189
Suppressor, suppressor-inducer mechanism from the interaction of B-memory cells with Lyt 2^- T cells. Feedback control of secondary antibody response, I, 289
Synovial type A and B cells, presence of HLA-DR on: an immunoelectron microscopic study in rheumatoid arthritis, osteoarthritis and normal traumatic joints, 587

T-cell function, a chemical carcinogen, 3-methylcholanthrene, alters, and induces T-suppressor cells in a mouse model system, 207
T cell-growth factor, identification and partial purification of human T lymphocyte colony-enhancing factor (LCEF), distinct from, 261
T-cell help, the interaction of specific, and non-specific B-cell growth factors in the production of anti-tetanus antibody by human B cells grown in serum-free microcultures, 377
T-cell requirement, dependency on antigen dose and lack of evidence for an idiotype-related mechanism in IgM-mediated enhancement. Regulation of the immune response by antibody, II, 503
T-cell responses (primary) to minor alloantigens. I. Characterization of cytotoxic effector cells generated from regional lymph nodes after immunization in the footpad, 121
T-cell responses (primary) to minor alloantigens. II. Analysis of accessory cell requirements for the development of cytotoxic T lymphocytes, 555
T-cell subsets defined with monoclonal antibodies, role of autologous rosette-forming: cellular bases of the production of and response to interleukin-2 in man, 223
T cells, a suppressor, suppressor-inducer mechanism from the interaction of B-memory cells with Lyt 2^-. Feedback control of secondary antibody response, I, 289
T cells (neoplastic human), expression of immunoglobulin-cross-reactive molecules by. I. Surface detection and isolation of molecules reactive with chicken anti-$F(ab')_2$, anti-α and anti-μ antibodies, 447
T cells which respond to self, modified self and alloantigens, frequency in human peripheral blood of T cells, 181
T-helper and T-suppressor memory, differences in the rate of induction of. Feedback control of the secondary antibody response, II, 297
T lymphocyte clones, analysis of the antigen specificity of influenza haemagglutinin-immune human: identification of an immunodominant region for T cells, 659
T-lymphocyte colonies induction of, by phorbol myristate acetate, 575
T lymphocyte colony-enhancing factor (LCEF), identification and partial purification of human, distinct from T cell-growth factor, 261
T lymphocytes, *in-vivo* modulation of, with monoclonal antibodies in mice. I. Effect of anti-Thy-1 antibody on the tissue distribution of lymphocytes, 537
T lymphocytes, platelets and granulocytes (human) in individuals with Tn syndrome, evidence for carbohydrate-deficient forms of the major sialoglycoproteins of, 415
T-suppressor cells in a mouse model system, a chemical carcinogen, 3-methylcholanthrene, alters T-cell function and induces, 207
Tetanus, the interaction of specific T-cell help and non-specific B-cell growth factors in the production of antibody against, by human B cells grown in serum-free microcultures, 377
Thioglycollate-stimulated peritoneal macrophages, complement-dependent inhibition of degradation of soluble immune complexes and immunoglobulin aggregates by, 107
Thy-1 antigen, a cell-free soluble-phase radioimmunoassay for, 667
Thymectomized mice, the mechanism of reduction of cell-mediated cytotoxicity in neonatally, 199
Thymic macrophages, cultivation, proliferation and characterization of, 139
Thymocytes (human) induced by thymic hormones, biochemical and immunological differentiation of, 471
Thymus in ageing, the human: histologic involution paralleled by increased mitogen response and by enrichment of $OKT3^+$ lymphocytes, 519
Thyroglobulin uptake and presentation by macrophages in experimental autoimmune thyroiditis, 315
Tissue eosinophilia, the mediation of, in hypersensitivity reactions. V. Comparative study of tissue eosinophilia in the skin lesions of local and systemic passive cutaneous anaphylactic reactions, 85
Tissue factor synthesis, direct induction of, by endotoxin in human macrophages from diverse anatomical sites, 529
Tn syndrome, evidence for carbohydrate-deficient forms of the major sialoglycoproteins of human platelets, granulocytes and T lymphocytes in individuals with, 415
Tococara canis larvae, purification and characterization of excretory and secretory antigen of, 113
Transfer RNA, immunogenicity of, isolated from a two-heptose rough mutant of *Salmonella typhimurium* LT2 in mouse typhoid infection, 369
Tuberculosis, infection with *Mycobacterium kansasii* and efficacy of vaccination against, 581
Typhoid infection (mouse), immunogenicity of transfer RNA isolated from a two-heptose rough mutant of *Salmonella typhimurium* LT2 in, 369

Ultraviolet radiation, the destruction of peripheral-blood lymphocytes by extracorporeal exposure to, 477

Vesicle surface, immunogenicity of bovine serum albumin covalently coupled to. Immune response mediated by liposome-associated protein antigens, III, 101

Zymosan (serum-treated), *N*-formyl-methionyl-leucyl-phenylalanine and the ionophore A23187, release of leukotriene B_4 from human neutrophils and its relationship to degranulation induced by, 65